

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (ba to the statements given in	sed on product specification or test results based obtained from sample testing), that the product conforms this declaration.
Type of product *	Liquid Crystal Projector
Commercial name *	EB-PQ2216B/W
Model number *	
Issue date *	2024/3/25
Intended market *	🔲 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🔛 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	EB-PQ2216B/W	Logo	FROON
Issue date *	2024/3/25		EPSON
			EXCEED YOUR VISION

	t environmental attributes - Legal requirements	Require	nent m	net
tem		Yes	No	n.a.
י1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
		5.4		
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\mathbf{X}$		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
1.4	terphenyl (PCT) in preparations (see legal reference).			
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X		
P1.5*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm <sup>2</sup> /week	_		
P1.6*	(see legal reference).			$\mathbf{X}$
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.	19-12		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\mathbf{X}$		
	http://www.epson.com			
2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\mathbf{X}$		
2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
2.2 <b>*</b>	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X		
	reference)			
2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\mathbf{X}$		
23	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\mathbf{X}$		
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/o	conformit	y	
°3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	$\mathbf{X}$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	X		
	available at (add URL): http://www.epson.com	<u></u>		
24				
	Consumable materials			
	Consumable materials			
- <b>4</b> -4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			$\mathbf{X}$
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0.01% (see legal reference and NOTE B1).			
	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			X
94.1* 94.2*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			
94.1* 94.2*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to			$\mathbf{X}$
94.1* 94.2*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			$\mathbf{X}$
24.1* 24.2* 24.3*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			X
24.1* 24.2* 24.3* 25	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging			X
24.1* 24.2* 24.3* 25	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).         If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)         If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).         Product packaging         Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			X
24.1* 24.2* 24.3* 25.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). <b>Product packaging</b> Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).         If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)         If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).         Product packaging         Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.         The packaging materials are marked with abbreviations and numbers indicating the nature of the			X
24.1* 24.2* 24.3* 25.1* 25.2*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). <b>Product packaging</b> Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
24.1* 24.2* 24.3* 25.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
24.1* 24.2* 24.3* 25.1* 25.2*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). <b>Product packaging</b> Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
24.1* 24.2* 24.3* 25.1* 25.2*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). <b>Product packaging</b> Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EB-PQ2216B/W	Logo	FDCON
Issue date *	2024/3/25		EPSON EXCEED YOUR VISION

- Env	ironmental conscious design	Requ	uireme	nt mef
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 6 years			
P7.10	Service is available after end of production for: 6 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
7.12	Insulation materials of external electrical cables are PVC free.		X	
7.13	Insulation materials of internal electrical cables are PVC free.		X	Π
97.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all $\boxtimes$ PCBs > 25 g $\square$ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
97.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):         TBBPA (additive) □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name: , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:		_	
	1. Chemical name:       , CAS #:       (See NOTE B4)         2. Chemical name:       , CAS #:       "         3. Chemical name:       , CAS #:       "			
	<u>Alt. 2: Chemical specifications of flame retardants in plastic parts &gt; 25 g according ISO 1043-4:</u>			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

	EB-PQ2216B/W 2024/3/25	Logo	EPSON EXCEED YOUR VISION
Product environmental att	ributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

ltem						Yes	No	n.a.
	Material and substa	ance requirements (co	ontinued)					
P7.20*	Postconsumer recyc	led plastic material cor	itent is used in the pro	oduct (See NOTE E	36):		X	
	If YES; at least one of	of the two alternatives b	pelow shall be answer	red;				
	<ul> <li>a) Of total plastic pa</li> </ul>	arts' weight > 25 g, the	postconsumer recycle	ed plastic material	cont	ent		
	(calculated as a p	percentage of total plas	stic by weight) is	%.				
	or							
	b) The weight of rec	cycled material is	g.					
P7.21*	Biobased plastic mat	terial content is used in	the product (See NO	TE B7):			X	
	If VES: at least one of	of the two alternatives I	alow shall be answer	ed.				
		arts' weight > 25 g, the						
	,	percentage of total plas	•	%.				
	or	beroentage of total plac	No by Weight 10	70.				
		biobased plastic mate	erial is g.					
P7.22*		e from mercury, i.e. les				$\mathbf{X}$		
	-	ecify: Number of lamp		num mercury conte	ent p			
P8	Batteries				one p	ion rainipi ing		
<sup>-</sup> 8.1*	Battery chemical con	nposition: alkalin	e					
P9	Energy consumption	•						
P9.1		ollowing power levels of	or energy consumption	ns are reported:				
Energy r		Power level at	Power level at	Power level at		Reference/Standard for energy	mode	s and
Energy i	noue	100 V AC	115 V AC	230 V AC	t	test method *		
On-noma	al	W	W	1003.0	W	ISO/IEC 21118:2020		$\mathbf{X}$
_								_
Save		W	W	0.5	w	ISO/IEC 21118:2020		$\mathbf{X}$
	Power Supply Efficience	cy Level (International	Efficiency Marking Pro	otocol) * :				X
	an Speed * :	images per minut	te					
Print/Sca	in opeed .	inagee per inina						
	ime to enter energy sav	• •	minutes					X

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	EB-PQ2216B/W	Logo	FDOON
Issue date *	2024/3/25		EPSON EXCEED YOUR VISION

Product	environmental att	ributes - Market requi	rements (co	ntinued)			Req	uireme	ent met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission	<ul> <li>Declared according</li> </ul>	to ISO 9296	-					
P10.1	Mode	Mode description			ed A-weighted				
				sound	pressure level LpA	m (dB)			
	Idle	*		*					$\mathbf{X}$
	Operation	* Operation		*	4	14			
	Other mode								
	Measured accord	•		ECMA-74					
				vered by ECMA	-74)				
		ions from printing pro	•						
P10.2*	Test performed a	ccording to ECMA-328	Determinatio	n of Chemical E	Emission Rates from	า	$\mathbf{X}$		
	Electronic Equipn	nent (ISO/IEC 28360)	🔀 ,othe	r specify:					
P10.3	Typical emission	rate (operation phase)	is (mg/h):						
	Electrophotograp	hic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliand	e with maximum emise	sion rates in e	co labels to be	declared in P14.				
P11	Consumable ma	terials for printing pr	oducts						
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).					equired (see P4.3).			X
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN 12281.						X		
P11.3*	2-sided (duplex)	printing/copying is an ir	ntegrated proc	luct function.					X
P11.4*		livered to end-user with			1.				X
P13	Packaging and o	documentation							
P13.1*	Product packagin	g material type(s):	Corrugated F	ibreboard wei	ght (kg): 4.240				
			Foamed PP	wei	ght (kg): 0.533				
	Product packagin	g material type(s):	Foamed PE	wei	ght (kg): 0.085				
P13.2*	Product plastic pr	imary packaging is free	e from PVC.				X		
P13.3*	For product prima	ary corrugated fiberboa	rd packaging,	specify the cor	tained percentage	of			
	minimum post-co	nsumer recovered fibe	r content:	<mark>80</mark> %					
P13.4*	Specify media for	user and product docu	umentation (tie	ck box):					
	Electronic 🛛 🔀	, Paper 📋 🛛 , O	ther 🗌						
P13.5	(Please only com	plete this item if paper	documentatio	on used)					
	User and product	documentation on pap	er media is c	hlorine-free:					
	If Yes, please spe	ecify:							
	Totally chlorine-fr	ee							
	Elemental chlorin	e-free							
	Processed chlorir	ne-free							
P14	Voluntary progra	ams:							
P14.1		ts the requirements of	he following \	oluntary progra	ım(s):				
	ENERGY STAR®			Date:	Product catego	ry:			
	Eco-label:	Criteria versior		Date:	Product catego	•			
	Eco-label:	Criteria versior	ı.	Date:	Product catego	<b>,</b>			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	EB-PQ2216B/W	L	ogo	FDOON				
Issue date *	sue date * 2024/3/25			EPSON EXCEED YOUR VISION				
	Product environmental attributes - Market requirements (concluded) Requirement met							
P15 Additional i	nformation (See NOTE B11)							

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive) Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	P6.1