

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FROOM
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Liquid Crystal Projector				
Commercial name *	EV-110 (White) / EV-115 (Black)				
Model number *	EV-110 (Wille) / EV-115 (Didck)				
Issue date *	2024/2/28				
Intended market *	🗌 Global 🛛 Europe 🔲 Asia, Pacific & Japan 🔛 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number * EV	V-110 (White) / EV-115 (Black)	Logo	FROOM
Issue date * 20	024/2/28		EPSON EXCEED YOUR VISION

Produ	ct environmental attributes - Legal requirements	Require	nent n	net
tem		Yes	No	n.a.
1	Hazardous substances and preparations			
1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
1.2*	Products do not contain Asbestos (see legal reference).	X	Π	
	Comment: Legal reference has no maximum concentration value.	<u>17 - 1</u>		
°1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum	X		
	concentration values.			
91.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\mathbf{X}$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\mathbf{X}$		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 mg/cm <sup>2</sup> /week (see legal reference).			X
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.epson.com	X		
2	Batteries			
- P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	$\mathbf{X}$		
2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	X		
2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)		_	
2.5 3				
3.1*	Conformity verification & Eco design (ErP)	57		
3.1	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu/	_		
93.2*	The product complies with the Eco design Requirements for Energy-Related Products, (see legal reference).	$\mathbf{X}$		
	Required information is; 🛛 given in item P15 or added to this document,	$\mathbf{X}$		
	available at (add URL): http://www.epson.com			
4	Consumable materials			
4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			X
	than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
°4.2*	legal reference)			$\mathbf{X}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			X
°5	Product packaging			
95.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	X		
95.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		X	
	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	X		
5.3				
	Comment: Legal reference has no maximum concentration values.			
<b>25</b> .3* <b>26</b> 26.1*	Comment: Legal reference has no maximum concentration values.  Treatment information Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	EV-110 (White) / EV-115 (Black)	Logo	EDOON
Issue date *	2024/2/28		

- Env	vironmental conscious design	Requ	lirement	t met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
77	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 6 years			
P7.10	Service is available after end of production for: 6 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	$\boxtimes$		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all $\boxtimes$ PCBs > 25 g $\Box$ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):         TBBPA (additive) □       , TBBPA (reactive) □       (See NOTE B3), Other; chemical name:       , CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
97.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:	_		_
	1. Chemical name:       , CAS #:       (See NOTE B4)         2. Chemical name:       , CAS #:       "         3. Chemical name:       , CAS #:       "			
	<u>Alt. 2: Chemical specifications of flame retardants in plastic parts &gt; 25 g according ISO 1043-4:</u>			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	EV-110 (White) / EV-115 (Black)	Logo	FROOM
Issue date *	2024/2/28		EPSON EXCEED YOUR VISION

Product	environmental attribu	utes - Market requirer	nents (continued)			Requ	lireme	nt met
ltem						Yes	No	n.a.
		ance requirements (co						
P7.20*	Postconsumer recyc	led plastic material cor	itent is used in the pro	oduct (See NOTE B6	i):		X	
	If YES; at least one of	of the two alternatives I	pelow shall be answer	red;				
	,	arts' weight > 25 g, the percentage of total plas	•	ed plastic material co %.	ontent			
	or .	0 1	, ,					
	b) The weight of rec	cycled material is	g.					
P7.21*	Biobased plastic mat	terial content is used ir	the product (See NO	TE B7):			X	
	If YES; at least one o	of the two alternatives I	pelow shall be answer	ed;				
	a) Of total plastic pa	arts' weight > 25 g, the	biobased plastic mate	erial content				
	, , ,	percentage of total plas	•	%.				
	or	- '						
	b) The weight of the	e biobased plastic mate	erial is g.					
P7.22*	Light sources are fre	e from mercury, i.e. les	ss than 0,1 mg/lamp.			X		
	-	ecify: Number of lamp		num mercury conten	t per lamp: mg		-	_
P8	Batteries			•	, v			
P8.1*	Battery chemical con	nposition: Zinc-c	arbon					
P9	Energy consumption	on (See NOTE B8)						
P9.1	For the product the f	ollowing power levels of	or energy consumption	ns are reported:				
Energy n	nodo *	Power level at	Power level at	Power level at	Reference/Standard for	or energy	/ mode	s and
Lileigy ii	lioue	100 V AC	115 V AC	230 V AC	test method *			
On-noma	al	w	w	124.0	w ISO/IEC 2118			X
Save		w	w	0.4	W ISO/IEC 2118			X
Save				0.4	130/120 2110			
	Power Supply Efficiend	cv Level (International	Efficiency Marking Pro	otocol) * :				
External		,,						19 A
		images per minu	te					
Print/Sca	In Speed * : me to enter energy sav	images per minu /e mode: 30	te minutes					

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	EV-110 (White) / EV-115 (Black)	Logo	FROOM
Issue date *	2024/2/28		EPSON EXCEED YOUR VISION
			EXCEED TOOR VISION

Product	t environmental att	ributes - Market requi	irements (co	ntinued)			Req	uireme	ent met
ltem							Yes	No	n.a.
P10	Emissions								
	Noise emission -	<ul> <li>Declared according</li> </ul>	to ISO 9296	(See NOTE B9)					
P10.1	Mode	Mode description		Declare	d A-weighted				
				sound p	ressure level LpAr	m (dB)			
	Idle	*		*					X
	Operation	* Operation		*	3	4			
	Other mode								
	Measured accord	ing to: 🛛 🔀 ISO 77	79	ECMA-74					
		🗋 Other	(only if not co	vered by ECMA-	74)				
	<b>Chemical emissi</b>	ons from printing pro	oducts (See	NOTE B10)					
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from					X			
	Electronic Equipn	nent (ISO/IEC 28360)	🔀 ,othe	r specify:					
P10.3	Typical emission	rate (operation phase)	is (mg/h):						
	Electrophotograp	hic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: compliance	e with maximum emise	sion rates in e	co labels to be d	leclared in P14.				
P11	Consumable ma	terials for printing pr	oducts						
P11.1*	A Safety Data Sh	eet (SDS) is available	for the ink/ton	er preparation, e	even if not legally re	quired (see P4.3).			X
P11.2*	Paper containing 12281.	post-consumer recycle	ed fibers can l	be used, provide	d that it meets the r	equirements of EN			X
P11.3*	2-sided (duplex) p	printing/copying is an ir	ntegrated proc	duct function.					X
P11.4*	( ) )	livered to end-user with	2 i					Π	X
P13	Packaging and c			•					
P13.1*	Product packagin	g material type(s):	Corrugated I	ibreboard weig	ht (kg): 1.225				
	Product packagin	g material type(s):	Foamed PS	weig	ht (kg): 0.455				
			PE	-	ht (kg): 0.022				
P13.2*		imary packaging is free	e from PVC.	Ŭ			X		
P13.3*		ry corrugated fiberboa		specify the cont	ained percentage o	of			
	minimum post-co	nsumer recovered fibe	r content:	<mark>80</mark> %					
P13.4*	Specify media for	user and product docu	umentation (ti	ck box):					
	Electronic 🔀	, Paper 📋 , O	ther 🗌						
P13.5	(Please only com	plete this item if paper	documentatio	on used)					
	User and product	documentation on pap	oer media is c	hlorine-free:					
	If Yes, please spe	ecify:							
	Totally chlorine-fr	ee							
	Elemental chlorin								
	Processed chlorir	ne-free							
P14	Voluntary progra	ams:							
P14.1		s the requirements of	the following	oluntary program	m(s):				
	ENERGY STAR®			Date:	Product categor	y:			
	Eco-label:	Criteria versior		Date:	Product categor	•			
	Eco-label:	Criteria versior		Date:	Product categor				

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

 $see\ http://www.ecma-international.org/publications/standards/Ecma-370.htm.$ 

Model number *	EV-110 (White) / EV-115 (Black)	Logo	FROOM					
Issue date *	2024/2/28		EPSON EXCEED YOUR VISION					
Product environmental attributes - Market requirements (concluded) Requirement met								
P15 Additional information (See NOTE B11)								

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	