

## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Smart Glasses			
Commercial name *	BT-40SN			
Model number *	D1-403N			
Issue date *	2024/8/7			
Intended market *	☐ Global     Europe    Asia, Pacific & Japan    Americas    Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	BT-40SN	Logo	EDCON
Issue date *	2024/8/7		EPSON EXCEED YOUR VISION

Produ	ct environmental attributes - Legal requirements	Require	ment n	net
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X	П	
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
D 4 0 t	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	23	ш	
P1.3*	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
54.44	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
P1.4*	terphenyl (PCT) in preparations (see legal reference).		Ш	
	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	X		
P1.5*	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			X
P1.6*	mg/cm <sup>2</sup> /week (see legal reference).		Ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
P2. I	symbol. Information on proper disposal is provided in user manual. (See legal reference)	X		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	$\boxtimes$		
	legal reference)  Batteries and accumulators are readily removable. (See legal reference)			
P2.3*			X	
P3.1*	Conformity verification & Eco design (ErP)	<b>N</b>		
P3.1	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	<b>X</b>		
D0.0*	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu		•	
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	$\boxtimes$		
	(see legal reference).	<b>N</b>		
	Required information is; given in item P15 or added to this document,	$\boxtimes$		
D.4	available at (add URL): http://www.epson.com			
P4	Consumable materials  If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
P4.1*	than 0,01% (see legal reference and NOTE B1).			$\boxtimes$
D4 0*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P4.2*	legal reference)			X
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			$\boxtimes$
P4.3*	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
1 4.0	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\boxtimes$		
	hexavalent chromium by weight of these together.  The packaging materials are marked with abbreviations and numbers indicating the nature of the			
P5.2*	material(s) used (see legal reference).		X	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	X		
75.5	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	BT-40SN	Logo	EDOON
Issue date *	2024/8/7		EPSON EXCEED YOUR VISION

P7.1*	vironmental conscious design  *=mandatory to fill in. Additional information regarding each item may be found under P14.  Design	Yes	No	nt met
	Design		INU	n.a.
P7.1*				
P7.1*	Disassembly, recycling			
	Parts that have to be treated separately are easily separable	X	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X	П	П
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	П	П
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	П	П	П
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	П	П
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	X	П	П
P7.8*	Upgrading can be done using commonly available tools	X	П	П
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			П
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	П	X	
P7.13	Insulation materials of internal electrical cables are PVC free.	П	X	П
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	×		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive) □ , TBBPA (reactive) □ (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:			
	1. Chemical name:       , CAS #:       (See NOTE B4)         2. Chemical name:       , CAS #:       "         3. Chemical name:       , CAS #:       "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			П
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	BT-40SN	Logo	EDOON
Issue date *	2024/8/7		EPSON EXCEED YOUR VISION

Product	environmental attribu	ıtos - Market require	ments (continued)				Regu	iiromo	nt met
Item	environmental attribu	ates - market require	ments (continued)				Yes	No	n.a.
10111	Material and substa	ince requirements (c	ontinued)				100	110	11.4.
P7.20*		led plastic material co		roduct (See N	IOTE B	6):		X	
	•	•	·	,		•			
	·	of the two alternatives							
	<ul> <li>a) Of total plastic pa</li> </ul>	irts' weight > 25 g, the	postconsumer recyc	led plastic ma	aterial c	ontent			
	(calculated as a p	percentage of total pla	stic by weight) is	%.					
	or								
	b) The weight of rec	cycled material is	g.						
P7.21*	Riohased plastic mat	erial content is used i	n the product (See N	OTE B7)·				X	П
1 7.21	Biobacca piactic mat	ional comone lo acca i	ir allo produot (000 ret	5 1 L 51 ).					Ш
	If YES; at least one of	of the two alternatives	below shall be answe	ered;					
	<ul> <li>a) Of total plastic pa</li> </ul>	irts' weight > 25 g, the	biobased plastic mat	terial content					
	(calculated as a p	percentage of total pla	stic by weight) is	%.					
	or								
		biobased plastic mat							
P7.22*	•	e from mercury, i.e. le	• .				$\boxtimes$		
		ecify: Number of lamp	os: and maxir	num mercury	conten	t per lamp: mo	3		
P8	Batteries								
P8.1*	Battery chemical con		arbon						
P9	Energy consumption								
P9.1	For the product the fo	ollowing power levels				In ( (0) ) )			
Energy n	node *	Power level at	Power level at	Power level	at	Reference/Standard	for energy	y mode	es and
		100 V AC	115 V AC	230 V AC		test method *			
On-noma	al .	10/	10/		4.5 V	v <b>o</b>			
OH-HOHI	ai	W	W		4.5 V	v			×
Save		W	w		0.0 V	v <b>o</b>			X
		<u> </u>							
	Power Supply Efficience			rotocol) * :					X
	n Speed * :	images per minu							
Default ti	me to enter energy sav	/e mode: e energy save function	minutes	product		1	X		X
IT 3.2	miormation about the	e energy save junction	i is brovided with the	DIOUUCL.			IXI		

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	BT-40SN	Logo	FDCCN
Issue date *	2024/8/7		EPSON EXCEED YOUR VISION

	environmental at	tributes - Market requ	irements (co	ntinued)				Req	uireme	ent met
Item								Yes	No	n.a.
P10	Emissions									
	Noise emission	- Declared according	g to ISO 9296	(See NOTE B	9)					
P10.1	Mode	Mode description				eighted				
				sound	pressu	re level LpAm	(dB)			
	Idle	*		*						X
	Operation	*		*		0				
	Other mode									
	Measured accor	ding to: 🔀 ISO 77	79	☐ ECMA-74						
		☐ Other	(only if not cov	vered by ECMA	4-74)					
	Chemical emiss	sions from printing pr	oducts (See	NOTE B10)						
P10.2*	Test performed a	according to ECMA-328	3 Determination	on of Chemical	Emissi	on Rates from				X
	Electronic Equip	ment (ISO/IEC 28360)	_ , othe	r specify:						
P10.3	Typical emission	rate (operation phase)	) is (mg/h):							
	Electrophotograp	phic devices: Ozon	Dust	Styrene		Benzene	TVOC			
	Ink devices:		Dust	Styrene		Benzene	TVOC			
	NOTE: complian	ice with maximum emis	sion rates in e	eco labels to be	e declai	red in P14.				
P11	Consumable m	aterials for printing p	roducts							
P11.1*	A Safety Data S	heet (SDS) is available	for the ink/tor	ner preparation	, even i	if not legally re	quired (see P4.3).			X
P11.2*	Paper containing	g post-consumer recycl	ed fibers can l	be used, provid	ded tha	t it meets the r	equirements of			X
1 11.2	EN 12281.									
P11.3*	2-sided (duplex)	printing/copying is an i	ntegrated pro	duct function.						X
P11.4*	The product is d	elivered to end-user wit	th default auto	-duplex enable	ed.					X
P13	Packaging and	documentation								
P13.1*	Product packagi	ng material type(s):	Corrugated F	ibreboard wei	ight (kg	): <b>0.340</b>				
	Product packagi	ng material type(s):	Foamed PE	wei	ight (kg	): <b>0.040</b>				
		ng material type(s):		wei	ight (kg	): 0.000				
P13.2*		orimary packaging is fre						X		
P13.3*	For product prim	ary corrugated fiberboa	ard packaging	, specify the co	ontaine	d percentage o	of			
	minimum post-co	onsumer recovered fibe	er content:	80 %						
P13.4*	Specify media for	or user and product doc	umentation (ti	ck box):						
			ther 🛚							
P13.5	`	nplete this item if paper		,						
	User and produc	ct documentation on pa	per media is c	hlorine-free:						
	If Yes, please sp	ecify:								
	Totally chlorine-f	free								
	Elemental chlori	ne-free								
	Processed chlor	ine-free								
P14	Voluntary prog									
P14.1	The product mee	ets the requirements of	the following	voluntary progr	ram(s):					· · · · · · · · · · · · · · · · · · ·
	ENERGY STAR	® Criteria version	n:	Date:	Pro	oduct category	:			
	Eco-label:	Criteria version	n:	Date:	Pro	oduct category				
1	Fco-label:	Criteria version	n·	Date:	Pro	oduct category				

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	BT-40SN	Logo	EDCON
Issue date *	2024/8/7		EPSON EXCEED YOUR VISION

Product 6	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	Additional information (See NOTE B11)			

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	