

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	EPSON	Logo
Company name *	Seiko Epson Corporation	FDCON
Contact information *	EPSON Europe B.V.	EPSON
e-mail address	environment@epson.eu	EXCEED YOUR VISION
Internet site *	http://www.epson.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Document Camera				
Commercial name *	ELPDC13				
Model number *	ELFDC13				
Issue date *	2023/5/25				
Intended market *	☐ Global 🔀 Europe 🔲 Asia, Pacific & Japan 🔲 Americas 🔲 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	ELPDC13	Logo	EDOON
Issue date *	2023/5/25		EPSON EXCEED YOUR VISION

Produ	ct environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	X		
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
P1.3	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
D4 4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	X		
P1.4*	terphenyl (PCT) in preparations (see legal reference).	()		
D4.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	X		
P1.5*	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
D4.0*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5			×
P1.6*	mg/cm²/week (see legal reference).		ш	
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	X		
	http://www.epson.com			
P2	Batteries			
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
P2.1*	symbol. Information on proper disposal is provided in user manual. (See legal reference)	<u> </u>		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	ıl 🖂		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	X		
P3	Conformity verification & Eco design (ErP)	N		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
D0.0*	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.epson.eu			
P3.2*	The product complies with the Eco design Requirements for Energy-Related Products,	X		
	(see legal reference).	-		
	Required information is; given in item P15 or added to this document,	\boxtimes		
_	□ available at (add URL): http://www.epson.com			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			\boxtimes
	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P4.2*	legal reference)			\boxtimes
	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			X
D4 2*	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
P4.3*	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	X		
	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the			
P5.2*	ne packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).		\times	
DE 01	The product packaging material is free from ozone depleting substances as specified in the Montreal			
P5.3*	Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	X	П	П

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	ELPDC13	Logo	FDOON
Issue date *	2023/5/25		EPSON EXCEED YOUR VISION

Product	t environmental attributes - Market requirements (See General Note GN below)			
- En	vironmental conscious design	Requ	ireme	nt met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	X		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			X
P7.8*	Upgrading can be done using commonly available tools			X
P7.9.	Spare parts are available after end of production for: 6 years			
P7.10	Service is available after end of production for: 6 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC/ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	×		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) \square , TBBPA (reactive) \square (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
D7.10	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5	١		
	The source(s) for these diassilications is/are round at (add Offic)). (See NOTE Di	,		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	ELPDC13	Logo	EDOON
Issue date *	2023/5/25		EPSON EXCEED YOUR VISION

Product	environmental attribu	ıtes - Market require	ments (continued)			Requ	iremer	nt met
Item		•	· ·			Yes	No	n.a.
	Material and substa	nce requirements (c	ontinued)					
P7.20*	Postconsumer recycl	ed plastic material co	ntent is used in the pr	oduct (See NOTE B	6):		X	
	If YES; at least one of	of the two alternatives	below shall be answe	red;				
	•	rts' weight > 25 g, the		·	ontent			
	,	percentage of total pla		%.				
	or		, ,					
	b) The weight of rec	ycled material is	g.					
			-					
P7.21*	Biobased plastic mat	erial content is used in	n the product (See NO	OTE B7):			X	
	If YES; at least one o	of the two alternatives	below shall be answe	red;				
	,	rts' weight > 25 g, the	•					
	(calculated as a p	percentage of total pla	stic by weight) is	%.				
	or							
		biobased plastic mate						
P7.22*	-	e from mercury, i.e. le						\boxtimes
D 0	<u></u>	ecify: Number of lamp	s: and maxin	num mercury conten	t per lamp: m	g		
P8	Batteries	71	- ale - a					
P8.1*	Battery chemical con	•	arbon					
P9	Energy consumptio		4:					
P9.1	For the product the to	ollowing power levels			Defense as/Otan dand	f		
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard test method *	for energy	/ mode	s and
		100 V AC	III V AC	230 V AC	lest method			
On-noma	ı	w	w	13.0	v o			X
					-			
Save		w	w	0.2	v o			X
External	Dower Cupply Efficient	VI aval (Interpetion -1	Efficiency Marking Dr	rotocol) * :				
	Power Supply Efficiend n Speed * :	images per minu		olocol) .	+			
	me to enter energy sav	<u> </u>	minutes					
P9 2*		e energy save function		product				

NOTE B8 A Guidance document on Energy efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *	ELPDC13	Logo	EDCON
Issue date *	2023/5/25		EPSON EXCEED YOUR VISION

Product	environmental att	tributes - Market requi	rements (contir	nued)			Req	uireme	ent met
Item							Yes	No	n.a.
P10	Emissions								
	Noise emission	 Declared according 	to ISO 9296 (Se	ee NOTE B9)					
P10.1	Mode	Mode description		Declared	d A-weighted				
				sound pi	ressure level LpA	m (dB)			
	Idle	*		*					X
	Operation	*		*		0			X
	Other mode								
	Measured accord	ding to: 📋 ISO 777	⁷ 9 🗆	ECMA-74					
		☐ Other (only if not covere	ed by ECMA-7	74)				
	Chemical emiss	ions from printing pro	ducts (See NO	TE B10)					
P10.2*	Test performed a	according to ECMA-328	Determination of	of Chemical E	mission Rates fror	n	\boxtimes		
	Electronic Equipr	ment (ISO/IEC 28360)	🔀 , other sp	ecify:					
P10.3	Typical emission	rate (operation phase)	is (mg/h):						
	Electrophotograp	hic devices: Ozon	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
				-					
	NOTE: compliand	ce with maximum emiss	sion rates in eco	labels to be d	leclared in P14.				
P11	Consumable ma	aterials for printing pro	oducts						
P11.1*	A Safety Data Sh	neet (SDS) is available f	or the ink/toner	preparation, e	even if not legally r	equired (see P4.3).			X
D44.0*	Paper containing	post-consumer recycle	d fibers can be	used, provide	d that it meets the	requirements of			6.2
P11.2*	EN 12281.								\boxtimes
P11.3*	2-sided (duplex)	printing/copying is an in	itegrated produc	t function.					X
P11.4*	The product is de	elivered to end-user with	า default auto-du	ıplex enabled	=				×
P13	Packaging and	documentation							
P13.1*	Product packagir	ng material type(s):	Corrugated Fibr	eboard weigl	ht (kg): 0.480				
	Product packagir	ng material type(s):	Foamed PS	weigl	ht (kg): 0.058				
	Product packagir	ng material type(s):	PE	weigl	ht (kg): 0.030				
P13.2*	Product plastic pi	rimary packaging is free	from PVC.				X		
P13.3*	For product prima	ary corrugated fiberboa	rd packaging, sp	ecify the cont	tained percentage	of			
	minimum post-co	onsumer recovered fiber	r content:	80 %					
P13.4*	Specify media for	r user and product docւ	ımentation (tick	box):					
		,Paper 🔀 ,Ot							
P13.5	(Please only com	plete this item if paper	documentation ι	used)					
	User and product	t documentation on pap	er media is chlo	rine-free:					
	If Yes, please spe	ecify:							
	Totally chlorine-fr								
	Elemental chlorin								
	Processed chlori	ne-free							
P14	Voluntary progra								
P14.1		ets the requirements of t	the following volu	untary program	m(s):				
	ENERGY STAR®	•	-	ate:	Product categor	V:			
	Eco-label:	Criteria version		ate:	Product categor	•			
	Eco-label:	Criteria version		ate:	Product categor	•			

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm. NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	ELPDC13	Logo	EDCON
Issue date *	2023/5/25		EP3UN
			EXCEED YOUR VISION

Product e	Product environmental attributes - Market requirements (concluded) Requirement met			
P15	P15 Additional information (See NOTE B11)			

Legal references Europe Annex B1

Legal references Europe Annex B1	
Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *	P1.1, P4.1, P3.1
* Specific exemptions apply for certain products and applications.	
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*	P2.1, P2.2, P2.3, P8.1
* These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	